





**REFERENCE LIST
ACCUMULATORS**
Designed and Built by
A•D•S Machinery Corp

YEAR	JOB	TYPE	ORIENTATION	STRIP WIDTH (inches)	STRIP THICKNESS (inches)	TRAVELING ROLLS	STATIONARY ROLLS	ROLL SIZE (inches)	TYPE DRIVE	POWER HP	ACTIVE TRAVEL (feet)	ACTIVE STORAGE (feet)	TRAVELING CARRIAGE
1968	1739	Entry	Vertical	28	0.080	5	4	25.5 x 36	Electric	20	50	500	Top
1968	1739	Exit	Vertical	28	0.080	5	6	25.5 x 36	Electric	20	50	500	Top
1970	2002	Entry	Vertical	44	0.125	2	1	42 x 56	Hydraulic	N/A	30	120	Top
1970	2002	Exit	Vertical	44	0.125	3	0	42 x 56	Hydraulic	N/A	15.5	93	Top
1971	1995	Entry	Vertical	28	0.065	5	2	21.5 x 36	Electric	15	53.3	533	Top
1971	1995	Exit	Vertical	28	0.065	5	3	21.5 x 36	Electric	15	53.3	533	Top
1971	2044	Entry	Vertical	26	0.018	9	8	12.8 x 36	Electric	7.5	10.5	189	Top
1971	2044	Exit	Vertical	26	0.018	9	10	12.8 x 36	Electric	7.5	10.5	189	Top
1972	2226	Entry	Vertical	26	0.020	3	2	12.8 x 36	Pneumatic	N/A	10.5	63	Top
1972	2226	Exit	Vertical	26	0.020	3	3	12.8 x 36	Pneumatic	N/A	10.5	63	Top
1973	2280	Entry	Vertical	25	0.020	7	7	12.8 x 36	Electric	10	20	280	Top
1973	2280	Exit	Vertical	25	0.020	7	7	12.8 x 36	Electric	10	20	280	Top
1973	2320	Entry	Vertical	29.5	0.157	3	2	42 x 36	Hydraulic	N/A	26.7	160	Top
1973	2320	Exit	Vertical	29.5	0.157	3	2	42 x 36	Hydraulic	N/A	26.7	160	Top
1974	2190	Entry	Vertical	11.8	0.080	4	5	25.5 x 18	Electric	7.5	24.8	198	Top
1974	2190	Exit	Vertical	11.8	0.080	4	5	25.5 x 18	Electric	7.5	24.8	198	Top
1974	2207A	Entry	Vertical	14.4	0.016	2	1	12.8 x 22	Pneumatic	N/A	15	60	Top
1974	2207A	Exit	Vertical	14.4	0.016	2	2	12.8 x 22	Pneumatic	N/A	15	60	Top
1974	2207B	Entry	Vertical	14.4	0.016	2	1	12.8 x 22	Pneumatic	N/A	15	60	Top
1974	2207B	Exit	Vertical	14.4	0.016	2	2	12.8 x 22	Pneumatic	N/A	15	60	Top
1974	2208A	Entry	Vertical	29.1	0.050	5	3	21.5 x 36	Electric	15	53.3	533	Top
1974	2208A	Exit	Vertical	29.1	0.050	5	3	21.5 x 36	Electric	15	53.3	533	Top
1974	2208B	Entry	Vertical	29.1	0.050	5	3	21.5 x 36	Electric	15	53.3	533	Top
1974	2208B	Exit	Vertical	29.1	0.050	5	3	21.5 x 36	Electric	15	53.3	533	Top
1977	2332	Entry	Vertical	26	0.080	4	5	25 x 36	Hydraulic	N/A	20	160	Top
1977	2696	Entry	Vertical	48	0.125	3	0	41.5 x 60	Hydraulic	N/A	60	360	Top
1977	2696	Exit	Vertical	48	0.125	4	3	41.5 x 60	Hydraulic	N/A	65	520	Top
1979	2644	Entry	Vertical	14	0.116	4	5	25 x 20	Hydraulic	N/A	10	80	Top



**REFERENCE LIST
ACCUMULATORS**
Designed and Built by
A•D•S Machinery Corp

YEAR	JOB	TYPE	ORIENTATION	STRIP WIDTH (inches)	STRIP THICKNESS (inches)	TRAVELING ROLLS	STATIONARY ROLLS	ROLL SIZE (inches)	TYPE DRIVE	POWER HP	ACTIVE TRAVEL (feet)	ACTIVE STORAGE (feet)	TRAVELING CARRIAGE
1979	2644	Exit	Vertical	14	0.116	2	3	25 x 20	Hydraulic	N/A	15	60	Top
1979	2964	Entry	Vertical	26	0.100	4	1	31 x 38	Hydraulic	N/A	50	400	Top
1979	2964	Exit	Vertical	26	0.100	4	3	31 x 38	Hydraulic	N/A	50	400	Top
1982	3581	Entry	Vertical	46	0.100	3	0	31.5 x 60	Electric	40	67	402	Top
1982	3581	Exit	Vertical	46	0.100	4	4	31.5 x 60	Electric	40	62.5	500	Top
1984	5017	Exit	Vertical	25	0.100	3	4	25 x 32	Hydraulic	N/A	11.8	71	Top
1986	3833	Entry	Vertical	67	0.080	11	9	31 x 76	Electric	60	32.8	722	Top
1986	3833	Exit	Vertical	67	0.080	11	9	31 x 76	Electric	60	32.8	722	Top
1987	5720	Entry	Horizontal	51	0.180	1	1	48 x 84	Electric	110	350	700	N/A
1987	5720	Exit	Horizontal	51	0.180	1	1	48 x 84	Electric	110	350	700	N/A
1989	5606	Entry	Vertical	38	0.015	12	13	12 x 46	Electric	60	50	1200	Bottom
1989	6018	Entry	Horizontal	48	0.089	1	0	36 x 54	Electric	60	220	440	N/A
1989	6018	Exit	Horizontal	48	0.089	2	0	36 x 54	Electric	60	100	400	N/A
1989	6138	Entry	Vertical	42	0.019	11	10	15 x 51	Electric	25	37.3	821	Bottom
1989	6138	Exit	Vertical	42	0.019	10	11	15 x 51	Electric	25	37.3	746	Bottom
1990	6260	Entry	Horizontal	50	0.062	2	3	31.5 x 59	Electric	50	223	892	N/A
1990	6260	Exit	Horizontal	50	0.062	2	2	31.5 x 59	Electric	50	223	892	N/A
1991	6116	Entry	Horizontal	65	0.079	2	2	56 x 74	Electric	25	230	920	N/A
1991	6116	Exit	Horizontal	65	0.079	2	2	56 x 74	Electric	25	230	920	N/A
1991	6384	Entry	Vertical	51.2	0.080	2	4	40 x 61	Hydraulic	N/A	17.2	68.8	Top
1992	6524	Entry	Vertical	13.8	0.059	5	6	21 x 20	Electric	10	26.2	262	Top
1992	6524	Exit	Vertical	13.8	0.059	5	6	21 x 20	Electric	10	26.2	262	Top
1994	6978	Entry	Vertical	50	0.048	12	11	32 x 60	Electric	75	75	1800	Bottom
1994	6978	Exit	Vertical	50	0.048	6	5	32 x 60	Electric	75	75	900	Bottom
1995	6698	Entry	Horizontal	38	0.018	2	1	24 x 48	Electric	20	324	1296	N/A
1995	7156	Entry	Horizontal	50	0.040	3	2	25 x 60	Electric	70	200	1200	N/A
1995	7156	Exit	Vertical	50	0.040	9	10	31 x 60	Electric	60	61	1098	Bottom
1995	7742	Entry	Vertical	60	0.040	11	10	27 x 70	Electric	60	57.8	821	Bottom



**REFERENCE LIST
ACCUMULATORS**
Designed and Built by
A•D•S Machinery Corp

YEAR	JOB	TYPE	ORIENTATION	STRIP WIDTH (inches)	STRIP THICKNESS (inches)	TRAVELING ROLLS	STATIONARY ROLLS	ROLL SIZE (inches)	TYPE DRIVE	POWER HP	ACTIVE TRAVEL (feet)	ACTIVE STORAGE (feet)	TRAVELING CARRIAGE
1995	7742	Exit	Vertical	60	0.040	11	11	27 x 70	Electric	60	57.8	821	Bottom
1996	7915	Entry	Vertical	26	0.050	5	4	21 x 36	Electric	10	26.2	262	Top
1996	7915	Exit	Vertical	26	0.050	5	6	21 x 36	Electric	10	26.2	262	Top
1997	7997	Entry	Vertical	60	0.065	7	8	28 x 70	Electric	100	65	910	Top
1997	7997	Exit	Horizontal	60	0.065	4	2	36&46x75	Electric	100	115	460	N/A
1997	8098	Entry	Horizontal	48	0.250	3	1	36 x 58	Electric	100	120	480	N/A
1997	8213	Entry	Vertical	64	0.015	12	13	12&20x72	Electric	125	37.5	1200	Top
1998	10255	Entry	Vertical	60	0.040	11	10	27 x 70	Electric	60	45.5	1000	Bottom
1998	10255	Exit	Vertical	60	0.040	11	12	27 x 70	Electric	60	45.5	1000	Bottom
2000	10223	Entry	Horizontal	50	0.180	2	2	42 x 54	Electric	75	158	632	N/A
2000	10414	Exit	Vertical	51	0.090	5	6	36 x 60	Electric	75	69	690	Top
2000	10467	Entry	Vertical	56	0.187	4	3	42 x 72	Electric	250	33	264	Top
2000	10729	Entry	Vertical	37	0.040	6	4	16 x 44	Electric	25	30	360	Top
2000	10729	Exit	Vertical	37	0.040	6	5	16 x 44	Electric	25	30	360	Top
2001	10764	Entry	Vertical	42	0.025	19	19	15.5 x 54	Electric	100	45	1710	Bottom
2001	10764	Exit	Vertical	42	0.025	19	18	15.5 x 54	Electric	100	18	684	Bottom
2002	11129	Entry	Vertical	56	0.060	4	4	20 x 60	Hydraulic	N/A	10	83	Bottom
2003	11264	Exit	Vertical	50	0.036	6	7	25 x 60	Electric	125	75	900	Top
2004	11509	Entry	Vertical	50	0.048	7	8	17 x 54	Electric	60	23	322	Top
2004	11509	Exit	Vertical	50	0.048	5	5	17 x 54	Electric	60	25	250	Top
2005	12027	Entry	Vertical	62	0.050	8	9	24 x 72	Electric	125	49	784	Top
2005	12027	Exit	Vertical	62	0.050	8	9	24 x 72	Electric	125	49	487	Top
2007	12249	Entry	Horizontal	40	0.020	4	5	12&31 x50	Electric	15	50	400	N/A
2007	12249	Exit	Horizontal	40	0.020	2	3	21&36 x50	Electric	15	100	400	N/A
2016	13009	Entry	Vertical	32	0.060	4	3	24 x 39	Electric	5	6	48	Bottom
2016	13009	Exit	Vertical	32	0.060	4	3	24 x 39	Electric	5	6	48	Bottom